

A close-up, side-profile photograph of a person wearing a grey mesh cap, black sunglasses, and a green t-shirt. They are holding a rifle with a tan and black camouflage handguard. The rifle has a black scope mounted on top. The person's left hand is wearing a black glove with 'Mechanix' written on it. The background is a blurred outdoor setting with a wooden fence.

HANDGUARDS

**FOR ALL YOUR RAIL
ESTATE NEEDS.**

Configuring a firearm to accomplish a particular goal involves selecting a handguard with a solid foundation. Most agree that establishing a balance between mounting real estate, overall weight, and the ergonomics of using mounted attachments is key. A solid lock up is a given. Being straightforward and easy to install is always welcome. Our UTG PRO[®] Michigan made selection of handguards takes the above into account using quality materials and finishes at a price accessible to everyone.



JUMP TO A SERIES

MP5 MONOLITHIC HANDGUARD [NEW] 107

FREE FLOAT HANDGUARDS 108

FORERUNNER 109

ARWEN 111

SUPER SLIM SD 113

ULTRA SLIM 115

SUPER SLIM 115

DROP-IN HANDGUARDS 116

AR15 Drop-in 117

AK Drop-in 118

RUGER PC Carbine Drop-in 119

(THIRD PARTY TRADEMARKS MAY BE USED IN THIS CATALOG FOR USER CONVENIENCE TO INDICATE THE FIT OR COMPATIBILITY OF THE APPLICABLE PRODUCT.)



MPS MONOLITHIC



 **UTG[®]**
PRO

MP5 MONOLITHIC M-LOK HANDGUARD



UTG PRO  **NEW**

MP5 MONOLITHIC M-LOK HANDGUARD

- » Proudly Designed and Made in USA
- » Monolithic Design Combines M-LOK® and Optics Real Estate into One Rigid Mount
- » 6061-T6 Aluminum with Dehorned Corners and Melted Contours and Finished in H-146 Graphite Black CERAKOTE®
- » Patented Claw Mount Locking Interface
- » Extended 16 Slot Picatinny Flattop with Cutout for Serial Number Identification
- » 17 Full and 5 Half M-LOK® Slots Around Circumference of Handguard
- » Chamfered Locking Recess Notch Prevents Hot Spots and Snag Points while Manipulating Charging Handle
- » Overall Lightweight at 9.8oz Installed
- » Integral Left and Right Side Anti-Rotational QD Sockets
- » Designed for 9mm Receiver MP5 and Clones and Compatible with Most Collapsible and Fixed Stocks
- » US PAT. 11656059



Patented Claw Mount Locking Interface



Extended 16 Slot Picatinny Flat-Top with Cutout for Serial Number



Chamfered Locking Recess Notch



Overall Lightweight at 9.8oz Installed

	MTU055SSM
Platform	MP5 & MP5 Clones
Length	13.65"
Width	1.69"
Height	2.07"
M-LOK® Slots	17 Full / 5 Half
Top Picatinny Slots	16
Weight	9.8 oz

FORERUNNER


 **UTG[®]**
PRO

FORERUNNER FREE FLOAT M-LOK® HANDGUARDS



AR15 FORERUNNER FREE FLOAT M-LOK® HANDGUARDS

- » Precision Machined from 6061-T6 Aluminum and Finished in a Matte Black Anodization
- » Unique Patented Titanium Barrel Nut Requires Little to No Timing in Relation to the Gas Tube and Installation Screws
- » M-LOK® Slots on 3 Slot Tracks for Mounting Accessories
- » Handguard Features an Ergonomic Octagonal Profile and Machined Lightening Cuts Made Throughout with a 3-Slot Top Picatinny Rail Found at the Front and Rear
- » Integral Anti-rotation Tabs for Accurate Alignment with Upper Receiver and to Prevent Unintentional Handguard Rotation and Flex
- » Compatible with Left or Right Handed Standard Mil-Spec AR15 Upper Receivers
- » Includes M-LOK® Picatinny Rail Section, QD Sling Swivel Adaptor, Installation Hardware, and Barrel Nut Wrench
- » US PAT. 10670369



	MTU049SPM	MTU044SPM	MTU045SPM	MTU046SPM	MTU047SPM	MTU048SPM
Actual Length	4.8"	6.8"	9.8"	13.8"	15.3"	17.3"
M-LOK® Slots	3 Full, 3 Half	13 Full	19 Full	25 Full, 7 Half	28 Full, 3 Half	31 Full, 7 Half
Top Picatinny Slots	6	6	6	6	6	6
Weight	4.6 oz	5.7 oz	7.3 oz	9.5 oz	10.3 oz	11.5 oz

ARWEN


 **UTG**[®]
PRO

ARWEN FREE FLOAT M-LOK® HANDGUARDS



AR15 ARWEN FREE FLOAT M-LOK® HANDGUARDS

- » Arwen meaning "Fair" in Welsh, is the Go-to UTG PRO® Handguard Series for Shooters Looking for a Fair Priced, yet Fully Featured Handguard with a Streamlined Look and Feel
- » Precision Machined from 6061-T6 Aluminum and Finished in a Matte Black Anodization
- » Unique Patented Steel Barrel Nut Requires Little to No Timing in Relation to the Gas Tube and Installation Screws and Furthermore, Does not Require a Proprietary Wrench for Installation
- » M-LOK® Slots at the 3, 6, and 9 O'clock Positions along with Additional 45 Degree M-LOK® Slots Located at the Front of the Handguard
- » Lightening Cuts Throughout the Handguard Keep Weight to a Minimum
- » Includes Installation Hardware and Barrel Nut Wrench
- » US PAT. 10670369



5 INCH

7 INCH

10 INCH

14 INCH

15 INCH

17 INCH

	MTU049SEM	MTU044SEM	MTU045SEM	MTU046SEM	MTU047SEM	MTU048SEM
Actual Length	4.8"	6.8"	9.8"	13.8"	15.3"	17.3"
M-LOK® Slots	10 Full	13 Full	19 Full	25 Full, 3 Half	28 Full, 3 Half	34 Full
Top Picatinny Slots	11	16	24	34	38	43
Weight	6.0 oz	7.4 oz	9.4 oz	12.1 oz	13.1 oz	14.4 oz

5 SUPER SLIM 50



 **UTG[®]**
PRO

SUPER SLIM SUPPRESSED FREE FLOAT M-LOK® HANDGUARDS



AR15 SUPER SLIM SD FREE FLOAT M-LOK® HANDGUARDS

- » 1.67" Inner Diameter for Compatibility with Suppressors
- » Precision Machined from 6061-T6 Aluminum and Finished in a Matte Black Anodization
- » M-LOK® Slots on 7 Slot Tracks for Mounting Accessories
- » Ergonomic Octagonal Profile with Grooved Surface Provides a Comfortable Means of Handling
- » Full Length Top Picatinny Rail is Flush and Continuous with Upper Receiver
- » Features Integral Anti-rotation Tabs for Accurate Alignment with Upper Receiver and to Prevent Unintentional Handguard Rotation and Flex
- » Compatible with Left or Right Handed Standard Mil-Spec AR15 Upper Receivers
- » Includes M-LOK® Picatinny Rail Section, QD Sling Swivel Adaptor, Installation Hardware, and Barrel Nut Wrench
- » US PAT. 10670369



7 INCH



10 INCH



14 INCH



15.5 INCH

	MTU044XLM	MTU045XLM	MTU046XLM	MTU047XLM
Actual Length	7"	10"	14"	15.5"
M-LOK® Slots	21	35	49	56
Top Picatinny Slots	16	24	34	38
Weight	11.4 oz	13.7 oz	17.1 oz	18.3 oz
Inner Diameter	1.67"	1.67"	1.67"	1.67"

ULTRA SLIM | SUPER SLIM



 **UTG[®]**
PRO

ULTRA SLIM & SUPER SLIM FREE FLOAT M-LOK® HANDGUARDS

UTG PRO® 

AR15 ULTRA SLIM FREE FLOAT M-LOK® HANDGUARDS

- » Precision Machined from 6061-T6 Aluminum
- » Ultra Slim Design with Lightening Cuts Made Throughout, While Still Allowing for High Level of Modularity
- » Ergonomically Grooved Handguard Surface and Octagonal Profile Features Left and Right Side Grip Serrations
- » US PAT. 8806792




Compatible with Left or Right Handed Standard Mil-spec AR15 Upper Receivers



Left and Right Side Grip Serrations



Reduced Top End with 3-slot Picatinny Rail at the Front and Rear of Handguard



UTG PRO® 

AR15 SUPER SLIM FREE FLOAT M-LOK® HANDGUARDS


- » Precision Machined from 6061-T6 Aluminum
- » Ergonomic Octagonal Profile with Grooved Surface for a Solid and Comfortable Grip
- » Scalloped Top Picatinny Rail Edges for Snag Free Accessories Mounting
- » Ergonomic Finger Grooves for a Solid and Comfortable Grip
- » Compatible with Right Handed Standard Mil-spec AR15 Upper Receivers Only
- » US PAT. 8806792



Flush Fitting and Continuous with Receiver



Integral Anti-rotation Tabs for Accurate Alignment with Receiver



	MTU019SSM3	MTU019SSM3B2	MTU019SSM3R2	MTU019SSM	MTU019SSMD	MTU019SSMB2	MTU019SSMR2	MTU019SSM22
	Ultra Slim			Super Slim				
Color	Black	Black/Blue	Black/Red	Black	FDE Cerakote®	Black/Blue	Black/Red	Black/Bronze
Length	15.3"	15.3"	15.3"	15.3"	15.3"	15.3"	15.3"	15.3"
M-LOK® Slots	24	24	24	56	56	49	49	49
Picatinny Slots	6	6	6	37	37	37	37	37
Weight	11.5 oz	11.5 oz	11.5 oz	12.5 oz	12.5 oz	12.8 oz	12.8 oz	12.8 oz

DROP-IN




 **UTG[®]**
PRO

DROP-IN HANDGUARDS



AR15 DROP-IN HANDGUARDS

- » Matte Black Anodized 6061-T6 Aluminum Construction
- » Two-piece Drop-in Design Requires no Permanent Modification



CARBINE-LENGTH QUAD RAIL

- » Compatible with Carbine-length DI Systems with Standard Delta Ring Assembly and Round Front Handguard Cap
- » MTU001 and MTU001T Compatible with RUGER® AR-556®

- 7 Inch / MTU001
- 7 Inch / Extended Top Rail / MTU001T
- 11 Inch / FSP Cutout / MTU015

CARBINE-LENGTH SUPER SLIM M-LOK® HANDGUARDS

- » Compatible with Carbine-length DI Systems with Standard Delta Ring Assembly and Round Front Handguard Cap and the RUGER® AR-556®

- 7 Inch / Extended Top Rail / MTU001SSM
- 15 Inch / Extended Top Rail / FSP Cutout / MTU015SSM

MID-LENGTH QUAD RAIL

- » Compatible with Mid-length DI Systems with Standard Delta Ring Assembly and Triangular Handguard Cap

- 9 Inch / MTU007

	MTU001	MTU001T	MTU015	MTU001SSM	MTU015SSM	MTU007
Length	6.7"	7.3"	10.7"	7.3"	15.0"	8.7"
M-LOK® Slots	-	-	-	24	45	-
Picatinny Slots	T:14 / B:14 / L:14 / R:14	T:18 / B:17 / L:16 / R:16	T:19 / B:23 / L:25 / R:25	T:18	T:30	T:18 / B:18 / L:18 / R:18
Weight	11.3 oz	11.3 oz	17.0 oz	6.2 oz	12.4 oz	14.7 oz



AK47/74 SUPER SLIM DROP-IN HANDGUARD



Modular Top End Mounts Included 9 Slot Picatinny Rail Section



DOCTER® Footprint MRDS Plate Included

UTG PRO  

AK47/74 SUPER SLIM DROP-IN M-LOK® HANDGUARD

- » Matte Black Anodized 6061-T6 Aluminum Construction
- » Compatible with Most Milled or Stamped Romanian, Chinese, and US AK47/AK74 Pattern Rifles
- » US PAT. 10962324

M-LOK® / MTU053SSM

	MTU053SSM
Length / Width	6.20" / 1.61"
Height	2.63"
M-LOK® Slots	15
Weight	9.7 oz




AK DROP-IN QUAD RAIL HANDGUARDS



ZASTAVA M92 DROP-IN QUAD RAIL HANDGUARD

- » Designed Specifically for the Zastava M92
- / **MTU052**



YUGO M70 AK QUAD RAIL HANDGUARD

- » Fits Yugo M70 Variants and is also compatible with the Zastava N-PAP after Removal of Rear Handguard Retainer
- / **MTU011**



UNIVERSAL AK QUAD RAIL HANDGUARD

- » Compatible with Most Milled or Stamped Romanian, Chinese, and US AK47/AK74 Pattern Rifles
- / **MTU009**

SUPER SLIM FOREND FOR RUGER® PC CARBINE™



Lower 1/3 Co-witness DOCTER® Footprint Optic Mount Included

WWW.LEAPERS.COM | SINCE 1992



AK DROP-IN QUAD RAIL HANDGUARDS

- » Matte Black Anodized 6061-T6 Aluminum Construction
- » Lightening Cut MIL-STD-1913 Picatinny Quad Rail with Left/Right Integral QD Sling Swivel Housings
- » Two-piece Drop-in Design Requires No Permanent Modification

	MTU052	MTU011	MTU009
Length / Width	6.5" / 2.1"		8.4" / 2.1"
Picatinny Slots	T:9 / B:15 / L:15 / R:15		T:14 / B:14 / L:14 / R:14
Weight	9.5 oz		9.2 oz



SUPER SLIM M-LOK® FOREND FOR RUGER® PC CARBINE™

- » Matte Black Anodized 6061-T6 Aluminum Construction
- » Machined Lightening Cuts Throughout Forend Keep Weight to a Minimum
- » 8 M-LOK® Slots, 3 Slots at 3 and 9 O'clock and 2 Slots at 6 O'clock
- » Melted Contours, Chamfered Edges, and Dehorned Corners

M-LOK® / **MTU050SSM**

	MTU050SSM
Length / Width	6.49" / 1.80"
Height"	1.73" / 3.45" with MRDS Mount
M-LOK® Slots	8
Weight	9.3 oz