



JUMP TO A SERIES

M-LOK® ARCA RAILS [NEW] 166

RAIL SECTIONS & COVERS 168

QD SLING SWIVELS & ADAPTORS 169

AR ACCESSORIES 170

Oversized Bolt Catch

Ambidextrous 45/90 Safety Selectors

Oversized Trigger Guards

Ambidextrous Extended Magazine Releases

Quick Install Dust Cover

MUZZLE DEVICES & GAS BLOCKS 171

CZ SCORPION ACCESSORIES 172

Charging Handles

Safety Selectors

TOOLS & MAINTENANCE 173

(Third party trademarks may be used in this catalog for user convenience to indicate the fit or compatibility of the applicable product.)





UTG PRO® M-LOK® ARCA RAILS











3.1" LENGTH

/ TLUMADS



/ TLUMA03

UT	GF	BO.	<u> </u>	IEW
UTG	PRO ⁸	M-LOK®	ARCA	RAILS

- » Proudly Designed and Made in USA
- Contoured to Prevent Snagging and Discomfort When Shooting Unsupported CNC Machined 7075-T6 Aluminum Finished in a Matte Black Anodize
- » M-LOK* Interface Spaced for installation in Complete Slots or in Between Adjacent Slots
- » Laser Engraved Positional Indicator Markings
- » Forms a Continuous Rall when Multiple Rails are installed in Line
- » Compatible with Standard ARCA, R-LOCK, and MRAS QD Adaptors and Mounts

Black -	TLUMA01	TLUMA02	TLUMA03	TLUMA04
Length	3.1*	7.9*	9.4*	14.2*
Weight	0.88 az	2.29 az	2.88 gz	3.83 oz
Material	7075-T8 Aluminum	7075-T8 Aluminum	7075-T8 Aluminum	7075-TB Aluminum
Mount type	M-LDK*	M-LOK*	M-LOK*	M-LOK*



RAIL SECTIONS & COVERS

M-LOK® PICATINNY RAIL SECTIONS









3-slot / MTURS10S

7-slot / MTURS10M

4-slot / MTURS09S

8-slot / MTURS09M

G36 PICATINNY RAIL SETS







Two 3.87" Length Rails with 7 Picatinny Slots

/ MNT-P501 (Set of 2)

One 6.08" Length Rail with 13 Picatinny Slots and Two 3.87" Length Rails with 7 Picatinny Slots

/ MNT-P503 (Set of 3)

Three 6.08" Length Rails with 13 Picatinny Slots

/ MNT-P505 (Set of 3)





M-LOK® ANGLED PICATINNY MOUNT

- » Angled Offset Optimally Positions Lights, Optics, or Other Accessories at the 11 or 1 O'clock Positions on Most Handguards
- » Durable Matte Black Anodized Aluminum Construction
- » Removable Spacer Adjusts Clearance to Fit Various Handguard Profiles

/ MT-MP45

LOW PROFILE M-LOK® RAIL PANEL COVER

- » 3.15" in Length, Slim, Lightweight, and Securely Installs via Two M-LOK® Screws and Nuts
- » Nonslip Textured Design Provides a Sure Grip Every Time
- » Molded from Durable Impact and Heat Resistant Polymer with a Rubberized Overmold

/ RB-HP30M (Set of 4)

QD SLING SWIVELS & ADAPTORS



PICATINNY SLING SWIVEL MOUNT WITH 1.25" LOOP

- » Precision Machined Aircraft Aluminum and Steel Construction with a Matte Black Finish
- » Solid Steel 1.25" Sling Loop Compatible with Most Slings on the Market
 - / TL-SWMTP01





SLING SWIVEL ADAPTORS

- » Precision Machined from 6061-T6 Aircraft Aluminum with a Matte Black Anodization
- » Accepts Any Standard Quick Detach Sling Swivel with 0.37" Diameter Swivel Stud
- » Designed with Quarter Turn Rotational Over Travel Stops to Restrict Swivel Movement
 - / M-LOK® / TLUSW001
 - / Keymod / TLUSW002



ANGLED OD SLING SWIVEL PICATINNY ADAPTOR


- » Accepts Any Standard Quick Detach Sling Swivel with 0.37" Diameter Swivel Stud
- » Precision Machined from Aircraft Aluminum with a Matte Black Finish
- » Low Profile and Lightweight Design with 45° Offset
- » Designed with Quarter-turn Rotational Over Travel Stops to Restrict Swivel Movement





PICATINNY/KEYMOD OD SLING SWIVEL ADAPTOR

- » Compact and Lightweight Design Adaptable for Installation on Both Picatinny or Keymod Rails
- » Accepts Any Standard Quick Detach Sling Swivel with 0.37" Diameter Swivel Stud
- » Precision Machined from Aircraft Aluminum with a Matte Black Finish
 - / TL-SWPK01



STEEL QD SLING SWIVELS

High Strength Steel Construction with a Matte Black Finish



1.09" LOOP

A	
	0

1.25" LOOP



1.29" C-SHAPE LOOP



1.38" LOOP



1.41" LOOP

				1100 1001	
	TL-QDSW08A	TL-QDSW08B	TL-QDSW08C	TL-QDSW18	TL-QDSW38
A-Loop Width	1.09"	1.25"	1.29"	1.38"	1.41"
B-Loop Thickness	0.13"	0.13"	0.13"	0.17"	0.18"
C- Push Button Diameter	0.47"	0.47"	0.47"	0.60"	0.64"
D-Stud Diameter	0.37"	0.37"	0.37"	0.37"	0.37"
E-Stud Height	0.35"	0.35"	0.35"	0.37"	0.35"



AR ACCESSORIES

AR15 LOWER UPGRADE KIT

/ TLT-TKS01









OVERSIZED BOLT CATCH



- » Serrated and Oversized Bolt Release and Extended Catch for Easier Reach and Manipulation
- » Steel Construction Finished in Matte Black
- » Includes Installation Hardware
- / TLT-TKSBC



AMBIDEXTROUS 45/90 SAFETY SELECTOR

- » Reversible Short and Long Oversized Levers Finished in a Matte Anodization
- » Aluminum and Steel Construction
- » 45° or 90° Throw Configurable
- » Includes Installation Tool, Hardware, Detent, and Detent Spring
 - / TLT-TKSLT
 / TLT-TKSLTB
 / TLT-TKSLTR

OVERSIZED TRIGGER GUARD



- » Enlarged Open Geometry Provides Easier and Safer Access to Trigger Particularly when Wearing Gloves
- » Aluminum Construction Finished a in Matte Anodization
- » Includes Installation Tool and Hardware
- / TLT-TKSTG
 / TLT-TKSTGB
 / TLT-TKSTGR



AMBIDEXTROUS EXTENDED MAGAZINE RELEASE

- » Features Oversized and Extended Left and Right Side Releases for Easier Reach and Manipulation
- » Aluminum and Steel Construction Finished in a Matte Anodization
- » Includes Installation Tool and Hardware
 - / TLT-TKSMR
 / TLT-TKSMRB
 / TLT-TKSMRR



- » Matte Black Impact and Heat Resistant Polymer Construction with Steel Springloaded Detent
- » Patented Tool-free Design Quickly Installs Without Having to Remove The Handguard Prior
- » Compatible with all .223/5.56 Mil-spec and Most Billet Upper Receivers
- » US PAT. 10393467

/ RBT-TKSDC



AR15 QD RECEIVER END PLATE

- » Compatible with Standard Mil-spec AR15 Lower Receiver
- » Solid Steel Construction with a Matte Black Finish
- » Accepts Any Standard Quick Detach Sling Swivel with 0.37" Diameter Swivel Stud
- » Designed with Quarter Turn Rotational Over Travel Stops to Restrict Swivel Movement
 - / TL-T6TD03















.223/5.56 | 1/2"X28

/ TLUMD02



- » Steel Construction Finished in Black Nitride
- » 1/2"-28 UNEF Thread Compatible, Crush Washer Included
- » Gas Dispersion Porting Reduces Felt Recoil and Muzzle Rise
- » Up to 50% Recoil Reduction



AR15 MICRO GAS BLOCK

- » Low Profile, Fits Underneath Most Free Float Handquards
- » Precision Machined Steel to Exacting Tolerances for .750" Diameter Barrels at the Gas Port
- » Durable and Corrosion Resistant Manganese Phosphate Finish
- » Includes Gas Tube Roll Pin, Serrated Self-locking Set Screws, and Installation Tool
 - / MNT-ARMGB01



AR15 BLANK FIRING ADAPTOR

- » Precision Machined High Strength Steel Construction
- » Color Coated for Protection and Discernibility
- » Reinforced Frame Surpasses Military Standards
- » Ideal for Law Enforcement and Military Training
- » User Friendly Bolt Ring for Simple Installation and Removal
 - / MNT-16AD2-C



CZ® SCORPION ACCESSORIES



CHARGING HANDLE FOR CZ® SCORPION™ EVO 3

- » Reversible for Left or Right Side Drop-in Installation
- » Extended and Partially Serrated Handle with Dehorned Corners and Melted Contours
- » Steel Guide with 6061-T6 Aluminum Handle Finished in a Matte Black, Red, or Blue Anodization
- » Compatible with Both Pistol and Carbine Models
 - / TLT-CSCH01 / TLT-CSCH01B / TLT-CSCH01R



SAFETY SELECTORS FOR CZ® SCORPION™ EVO 3

- » Machined from 6061-T6 Aluminum Finished in a Matte Black, Red, or Blue Anodization
- » Drop-in Installation, No Permanent Modification Required
- » Compatible with Both Pistol and Carbine Models
- » Extended Selectors with Dehorned Corners and Melted Contours
- » Ergonomic Thumb Index for Ease of Manipulating Safety On and Off
 - / TLT-CSSLT01
 / TLT-CSSLT01B
 / TLT-CSSLT01R

TOOLS & MAINTENANCE



AR15/AR308 ARMORER'S MULTI-FUNCTION COMBO WRENCH

- » Provides the Tools to Install and Remove Parts Often Replaced and or Reinstalled on Both the AR15 and AR308 Platforms such as: Standard A2 Flash Hider, Delta Ring Assembly, Rifle Length Buffer Tube, Carbine Buffer Tube Castle Nut, and More
- » Steel Construction with Wear Resistant Finish for Long Lasting Durability





.223/5.56 CLEANING KIT

- » Includes a 5-piece Extension Steel Cleaning Rod with Adaptor, Patch Loop, Bronze Bore Brush, Chamber Brush, Double-Ended Nylon Utility Brush, ½ oz Oil Bottle, and Cleaning Patches
- » All Parts Conveniently Store within the Included OD Green Nylon Pouch with Belt Loop and ALICE Clip Attachment Point and Featuring Two Hook-and-loop Closure Pockets and External Snap Button Flap

/ TL-A041



9MM PISTOL CLEANING KIT

- Sconveniently Stows Away in Any Range Bag in Its Compact Polymer Case (4.63"x2.88"x1.50")
- » Kit Includes an 8-32 Threaded Copper Alloy Cleaning Rod with the Following Threaded Cleaning Accessories: Patch Loop, Bronze and Nylon Brush, and a Cotton Mop

/ TL-CLP9MMKT



MINI AR15 ARMORER'S WRENCH

- » Provides the Tools to Install and Remove Parts Often Replaced and or Reinstalled on the AR15 Platforms such as: Standard A2 Flash Hider, Delta Ring Barrel Nut Assembly, Rifle Length Buffer Tube, Carbine Buffer Tube Castle Nut, and More
- » Steel Construction with Wear Resistant Finish for Long Lasting Durability
 - / TL-ARWR02



CHAMBER SAFETY FLAG

- » Bright Red for High Visibility and Reliable Confirmation of an Unloaded Firearm
- » Molded from Impact Resistant Polymer with Reinforced Head for Maximum Durability
- » Ideal for Cold Range Use and Mass Produced Firearms
 - / RB-CSF06 (Set of 6)



AK/SKS FRONT SIGHT TOOL

- » An Essential Tool for Making Fine Front Sight Post Windage and Elevation Adjustments
- » Compatible with AK, SKS, MAK, and SLR95 Pattern Rifles
 - / SCP-WEA05



UNIVERSAL SHOTGUN FOREND WRENCH

- » Nickel Plated Steel Construction
- » User Friendly with Ergonomic Handles for Easy Forend Removal and Installation
- » Compatible with REMINGTON® 870™, MOSSBERG® 500A/C, 835, and Other Clones
 - / TL-SHWR01