



## THE AKM TODAY

The venerable AK platform, a workhorse then and with just a touch of modern enhancements, retains its status when pushed forward to meet today's demand for a go-to rifle of proven reliability.

Harness its full potential with your preference of a Picatinny quad rail or M-LOK® handguard to mount your illumination devices. Stock up dependable, easy to find, and affordable magazines and use the savings towards bumping up your ammo count. Mount up your tried-and-true optic on a quick release side mount that adjusts to most if not all varying side rails out in the wild. Have your AK adjust to your LOP whether training in plain clothes or donning on plates and have it fold and stow out of the way, but always at the ready when grabbing it on the go.



 **UTG PRO® AK SIDE FOLDING STOCKS** **NEW** 922R Compliant

The UTG Pro AK Side Folder is an impact and heat-resistant glass fiber-reinforced side-folding polymer stock for the AK platform. Compatible with side-mounted optics with its fold-to-the-right design, the stock positively locks into place when deployed and unlocks via a left-sided push-button. When folded, a passive detent keeps the stock securely in place.

The five-position adjustable length of pull (LOP) is configurable to deploy directly to the user's preferred position via spring-loaded activation. An angled nonslip rubberized recoil pad keeps the stock tight in the shoulder pocket and rounding out the features are QD sling swivel cups at the front and rear of the stock.



**FOR STANDARD STRAIGHT TANG**

Length of Pull (LOP) 13.59"-16.42" (345-417 mm)  
 LOP Increment 5 Position | 0.71" (18 mm) Per Position  
 Width 1.25" (32 mm)  
 Height 5.35" (138 mm)  
 Weight 19.5 oz (553 g)  
 Right-side Folding  
 US PAT. 11067360 | US PAT. 11592264 | US PAT. 11598604  
 /RBU47FS01

**FOR YUGO PATTERN**

Length of Pull (LOP) 13.25"-16.1" (336.5-408.9 mm)  
 LOP Increment 5 Position | 0.71" (18 mm) Per Position  
 Width 1.25" (32 mm)  
 Height 5.35" (138 mm)  
 Weight 19.5 oz (553 g)  
 Right-side Folding  
 US PAT. 11067360 | US PAT. 11598604  
 /RBU47FS02

# **UTG PRO® AKM DROP-IN HANDGUARDS** **922R Compliant**



## **UNIVERSAL SUPER SLIM M-LOK®**

Compatible with most Romanian, Chinese, and US AKM pattern rifles.

Docter® footprint MRDS plate and 9 slot Picatinny rail section included.

*US PAT. 10962324*

Length 6.20" (157 mm)

Width 1.61" (41 mm)

Height 2.63" (67 mm)

Weight 9.7 oz (275 g)

M-LOK® Slots 15

6061-T6 Aluminum

/MTU053SSM



## **UNIVERSAL**

Compatible with most Romanian, Chinese, and US AKM pattern rifles.

T-marked Picatinny rails with left and right integral QD sling swivel sockets.

Length 8.43" (214.1 mm)

Width 2.05" (52.7 mm)

Height 3.1" (78.7 mm)

Weight 10.1 oz (286.3 g)

Picatinny Slots T14 / B14 / L14 / R14

6061-T6 Aluminum

/MTU009



## **FOR YUGO M70**

Compatible with Yugo M70 and also, N-PAP after removal of rear handguard retainer.

T-marked Picatinny rails with left and right integral QD sling swivel sockets.

Length 6.5" (165 mm)

Width 2.05" (52 mm)

Height 3.1" (79 mm)

Weight 9.5 oz (269 g)

Picatinny Slots T14 / B14 / L14 / R14

6061-T6 Aluminum

/MTU011

## **AK RECEIVER MOUNTS**



### **UTG® ACCU-SYNC® QR SIDE MOUNT**

Tool-free tension-adjustable quick release (QR) lever mount compatible with majority of side receiver rails.

Iron sight accessible channel.

*US PAT. 11703308 | US PAT. D949276 | US PAT. D949277*

Length 6.69" (170 mm)

Width 1.91" (48.5 mm)

Height 3.14" (80 mm)

Weight 5.4 oz (153 g)

Picatinny Slots 16

M-LOK® Slots 1 (Full) / 2 (Half)

/MT - UAK01



### **UTG PRO® QD SIDE MOUNT**

Quick detachable lever mount.

Iron sight accessible channel.

6 slot removable side accessory rail.

Length 6.5" (165 mm)

Width 1.8" (46 mm)

Height 3.3" (84 mm)

Weight 6.2 oz (176 g)

Picatinny Slots 16

/MTU016



### **UTG® AK STEEL SIDE PLATE**

Compatible with both milled and stamped receivers.

Permanent modification to receiver required, consulting gunsmith recommended.

Length 4.1" (104 mm)

Width 0.98" (24.9 mm)

Height 0.25" (6.5 mm)

Weight 2.4 g (0.88 oz)

/TL - M47SR

## **AK MAGAZINE**



**STEEL Reinforced**

### **UTG® AK/AKM WINDOWED POLYMER MAGAZINE**

Steel rear locking lug and reinforced front lug and spine.

High visibility blue follower and stainless-steel spring.

Raised bosses for added grip retention

Windowed with round count indicators at 10, 15, 20, 25, and 30.

Removable flared floor plate for easy disassembly and maintenance.

*US PAT. D849178*

Length 2.5" (64 mm)

Width 1.26" (32 mm)

Height 9.13" (232 mm)

Weight 7 oz (198 g)

/RBT - AKM30