

# DOT SIGHTS & MAGNIFIERS



## UTG® ACCU-SYNC® DOT SIGHTS

**RED 3 MOA DOT | QUICK DETACHABLE | MANUAL BRIGHTNESS | 6061-T6 ALUMINUM | IPX7 WATERPROOF**

Includes Quick Release (QR) low mount and lower 1/3 co-witness riser.  
Compatible with Mini ACOG® footprint.

### 2.24" LENGTH

Lens Ø 0.71" (18 mm)  
Length 2.24" (57 mm)  
Width 1.50" (38 mm)  
Center Height 0.89" (25.4 mm) with Low Mount / 1.62" (41 mm) with Riser  
Weight 4.87 oz (138 g) with Low Mount | 5.54 oz (157 g) with Riser  
8 Brightness Settings  
Battery Life 30,000 hrs  
Battery Type CR2032 3V

**RED** /OP-DS2018R

### 2.66" LENGTH

Lens Ø 0.79" (20 mm)  
Length 2.66" (67.5 mm)  
Width 1.67" (42.35 mm)  
Center Height 1" (25.4 mm) with Low Mount / 1.54" (39.1 mm) with Riser  
Weight 4.87 oz (138 g) with Low Mount | 5.54 oz (157 g) with Riser  
8 Brightness Settings  
Battery Life 30,000 hrs  
Battery Type CR2032 3V

**RED** /OP-DS2521R



# UTG® OP3 MICRO MRDS

SINGLE DOT RETICLE | GLASS LENS | 6061-T6 ALUMINUM | IPX7 WATERPROOF



## OP3 MINI MICRO

RED 3 MOA DOT | CONSTANT-ON AUTOMATIC BRIGHTNESS

### FOR SHIELD RMSC FOOTPRINT

Window Size 0.85" x 0.59" (23 x 15 mm)  
Length 1.60" (41 mm)  
Width 0.94" (24 mm)  
Height 0.89" (22.55 mm)  
Weight 0.7 oz (20 g)  
Battery Life 30,000+ hrs  
Battery Type CR2032 3V

**RED** / OT-RDM16R

## OP3 MICRO

4 MOA DOT | MANUAL BRIGHTNESS | CO-WITNESS WITH MOST SUPPRESSOR HEIGHT IRON SIGHTS



### FOR DOCTER®/VENOM®/NOBLEX® FOOTPRINT

Low Profile Picatinny Mount Included  
Window Size 0.9" x 0.65" (23 x 16.5 mm)  
Length 1.9" (48.25 mm)  
Width 1.14" (29 mm)  
Height 1.03" (26.15 mm)  
Weight 1.2 oz (35 g)  
1 MOA per Click  
8 Brightness Settings  
Battery Life 55,000+ hrs (Red) / 20,000+ hrs (Green)  
Battery Type CR2032 3V

**RED** / OP-RDM20R

**GREEN** / OP-RDM20G

### FOR RMR® FOOTPRINT

Low Profile Picatinny Mount Included  
Window Size 0.9" x 0.65" (23 x 16.5 mm)  
Length 1.9" (48.25 mm)  
Width 1.14" (29 mm)  
Height 1.03" (26.15 mm)  
Weight 1.27 oz (35 g)  
1 MOA per Click  
8 Brightness Settings  
Battery Life 55,000+ hrs  
Battery Type CR2032 3V

**RED** / OP-RMR20R

## OP3 MICRO SL/SLS

RED 3 MOA DOT | CO-WITNESS WITH MOST SUPPRESSOR HEIGHT IRON SIGHTS | SIDE LOADING BATTERY



### FOR DOCTER®/VENOM®/NOBLEX® FOOTPRINT

Low Profile Picatinny Mount Included  
Window Size 0.9" x 0.65" (23 x 16.5 mm)  
Length 1.9" (48.25 mm)  
Width 1.33" (33.8 mm)  
Height 1.03" (26.15 mm)  
Weight 1.3 oz (37 g)  
1 MOA per Click  
8 Brightness Settings  
Battery Life 15,000 hrs  
Battery Type CR1632 3V

**MANUAL BRIGHTNESS** / OP-RDM20CT

**MANUAL & AUTOMATIC BRIGHTNESS** / OP-RDM20CTS

### FOR RMR® FOOTPRINT

Low Profile Picatinny Mount Included  
Window Size 0.9" x 0.65" (23 x 16.5 mm)  
Length 1.9" (48.25 mm)  
Width 1.33" (33.8 mm)  
Height 1.03" (26.15 mm)  
Weight 1.3 oz (37 g)  
1 MOA per Click  
8 Brightness Settings  
Battery Life 15,000 hrs  
Battery Type CR1632 3V

**MANUAL & AUTOMATIC BRIGHTNESS** / OP-RMR20CTS

# UTG® ITA DOT SIGHTS

INSTANT TARGET ACQUISITION | RED/GREEN ILLUMINATION | 6061-T6 ALUMINUM | PICATINNY



### 6" LENGTH

Bidirectional Lower 1/3 QD Mount  
Center Height 1.65" (42 mm)  
Weight 13.1 oz (371 g)  
1/2 MOA Per Click  
Battery Type CR1620 3V  
US PAT. 8397421

**T-DOT** / SCP - TDTDQ



### 4.2" LENGTH

Lower 1/3 Adjustable Offset QD Mount  
Center Height 1.26" (32 mm) / 1.65" (42 mm) w/Riser  
Weight 8.7 oz (247 g)  
1/2 MOA Per Click  
Battery Type CR1620 3V  
US PAT. 8397421

**SINGLE DOT** / SCP - DS3840W

**T-DOT** / SCP - DS3840TDQ



### 3.9" LENGTH

Lower 1/3 Adjustable Offset QD Mount  
Center Height 1.18" (30 mm) / 1.57" (40 mm) w/Riser  
Weight 8.3 oz (235 g)  
1/2 MOA Per Click  
Battery Type CR1620 3V  
US PAT. 8397421

**SINGLE DOT** / SCP - DS3039W



### 3.8" LENGTH

Integral Thumb Nut Mount  
Center Height 1" (25.5 mm)  
Weight 9.4 oz (266 g)  
1/2 MOA Per Click  
Battery Type CR2032 3V

**SINGLE DOT** / SCP - RD40RGW - A



### 3.8" LENGTH

Integral QD Mount  
Center Height 1" (25.5 mm)  
Weight 8.4 oz (238 g)  
1/2 MOA Per Click  
Battery Type CR2032 3V  
US PAT. 8397421

**CIRCLE DOT** / SCP - RG40CDQ





### 2.6" LENGTH

Integral QD Mount  
Center Height 1" (25 mm)  
Weight 4.9 oz (139 g)  
1/2 MOA Per Click  
Battery Type CR1620 3V  
US PAT. 8397421

**SINGLE DOT** / SCP - DS3026W

## RETICLES



# UTG® 3X QD FLIP-TO-SIDE MAGNIFIER

Objective Ø 1" (25.4 mm)  
Length 4.3" (109 mm)  
Center Height 1.65" (42 mm)  
Weight 11.8 oz (306 g)  
Eye Relief 2 mm  
Field of View 45' @ 100 yds  
Perfect Match with: SCP-DS3840W, SCP-DS3039W, SCP-DS3840TDQ  
Match with 0.60" Riser: SCP-RD40RGW-A  
Match with 0.75" Riser: SCP-RG40CDQ  
US PAT. 8397421 | US PAT. D672839 | EU PAT. EP1984576-0001

**3X MAGNIFIER** / SCP - MF3WEQS

