

MAGAZINES



POLYMER MAGAZINES

Having undergone numerous rounds of fully loaded drop testing, live-fire testing in the thousands, and taking on fully automatic rates of fire and adverse temperatures, Leapers has the steadfast reliability shooters require out of a magazine. Take with you your preference of windowed or non-windowed glass fiber reinforced polymer magazines featuring high visibility blue followers and high longevity stainless steel springs. With every magazine, performance you can count on.

UTG® POLYMER MAGAZINES FOR GLOCK®

NEW GEN II OPTIMIZED MAGAZINE BODY AND FOLLOWER GEOMETRY FOR GREATER COMPATIBILITY AND FUNCTION ACROSS DIFFERENT PLATFORMS AND CLONES.

Durable and impact resistant glass fiber reinforced matte black polymer construction.
Anti-tilt high visibility blue follower and high longevity stainless steel spring for reliable feeding.
Easy disassembly and maintenance with removable flared floor plate.
Left and right side round count indicators.
Compatible with reversible magazine release for left or right-handed users.



9MM | NON-WINDOWED

- 17 ROUND / RBT-GL917-A **NEW**
- 15 ROUND / RBT-GL915-A **NEW**
- 33 ROUND / RBT-GL933



9MM | WINDOWED

33 round capacity with durable co-molded polymer window and debossed round count indicators at 10, 15, 20, 25, and 33.

Flared lower main body with raised bosses for additional grip retention.

US PAT. D989907

- 33 ROUND / RBT-PD933-A **NEW**





AR POLYMER MAGAZINES

Durable and impact resistant glass fiber-reinforced matte black polymer construction.
 High visibility blue anti-tilt follower and high longevity stainless steel spring for reliable feeding.
 Easy disassembly and maintenance with removable flared floor plate.

US PAT. D849178



UTG®
5.56 | NON-WINDOWED
10 ROUND / RBT-AM10



USA UTG PRO®
5.56 | NON-WINDOWED
30 ROUND / RBUAM01



UTG®
5.56 | WINDOWED
30 ROUND | BLACK / RBT-AM30
30 ROUND | FDE / RBT-AM30D



UTG®
.308 | WINDOWED
25 ROUND / RBT-DM25

UTG® AK/AKM WINDOWED POLYMER MAGAZINE



7.62X39MM | WINDOWED

Steel rear locking lug and reinforced front lug and spine.

High visibility blue follower and stainless-steel spring.

Raised bosses for added grip retention. Windowed with round count indicators at 10, 15, 20, 25, and 30.

Removable flared floor plate for easy disassembly and maintenance.

US PAT. D849178

Length 2.5" (64 mm)

Width 1.26" (32 mm)

Height 9.13" (232 mm)

Weight 7 oz (198 g)

30 ROUND / RBT - AKM30

